

Licence # 6048

Full licence available at:

<http://www.epa.nsw.gov.au/prpoeoapp/ViewPOELicence.aspx?DOCID=29534&SYSUID=1&LICID=6048>

Tomago Aluminium Company Limited

Old Swan Bay Road, Swan Bay, NSW 2324

Monitoring Period:

Q1 2017

Date Published:

11/04/2017

EPA Monitoring Point	Descriptor	Conductivity, uS/cm	Monitoring frequency requirement	Cyanide, mg/L	Monitoring frequency requirement	Fluoride, mg/L	Monitoring frequency requirement	pH	Monitoring frequency requirement	Depth, metres	Monitoring frequency requirement
1	Monitoring Point A7 (901)	260	Quarterly	<0.02	Quarterly	<0.10	Quarterly	5.3	Quarterly		
2	Monitoring Point A9 (902)	170	Quarterly	<0.02	Quarterly	<0.10	Quarterly	5.2	Quarterly		
3	Monitoring Point C7 (903)	240	Quarterly	<0.02	Quarterly	<0.10	Quarterly	4.6	Quarterly		
4	Monitoring Point Z9 (904)	260	Quarterly	<0.02	Quarterly	<0.10	Quarterly	4.3	Quarterly		
5	Monitoring Point A8 (851)									20.4	Quarterly
6	Monitoring Point A10 (852)									21.5	Quarterly
7	Monitoring Point B7 (853)									14.0	Quarterly
8	Monitoring Point Y7 (855)									28.5	Quarterly
9	Monitoring Point Y10 (856)									23.7	Quarterly
10	Monitoring Point 801 Site runoff dam	2300	Quarterly	<0.02	Quarterly	0.25	Quarterly	5.9	Quarterly		
11	Monitoring Point 802 Boundary dam	820	Quarterly	<0.02	Quarterly	0.10	Quarterly	4.6	Quarterly		
12	Monitoring Point 803 Pipeclay Creek	130	Quarterly	<0.02	Quarterly	0.16	Quarterly	5.5	Quarterly		
13	Monitoring Point 804 12 Mile Creek below crossing	50000	Quarterly	<0.02	Quarterly	1.23	Quarterly	6.8	Quarterly		
14	Monitoring Point 805 12 Mile Creek 1 km above crossing	43000	Quarterly	<0.02	Quarterly	1.06	Quarterly	6.7	Quarterly		
16	Monitoring Point 807 Moffats Oyster Barn	56000	Quarterly	<0.02	Quarterly	1.56	Quarterly	7.3	Quarterly		
17	Monitoring Point B10 (854)									17.3	Quarterly

Notes:

There are no applicable licence limits for the above monitoring points

uS/cm = microsiemens per centimetre

mg/L = milligrams per litre